



## DEFENSE INFORMATION SYSTEMS AGENCY

P. O. BOX 549  
FORT MEADE, MARYLAND 20755-0549

IN REPLY  
REFER TO: Joint Interoperability Test Command (JTE)

**7 May 13**

### MEMORANDUM FOR DISTRIBUTION

**SUBJECT:** Extension of the Special Interoperability Test Certification of the Cisco Unity Connection with Software Release 8.6(1) with update of Engineering Special (ES) 7 to ES 9

**References:** (a) DoD Directive 4630.05, "Interoperability and Supportability of Information Technology (IT) and National Security Systems (NSS)," 5 May 2004  
(b) CJCSI 6212.01E, "Interoperability and Supportability of Information Technology and National Security Systems," 15 December 2008  
(c) through (f), see Enclosure

1. References (a) and (b) establish Defense Information Systems Agency (DISA), Joint Interoperability Test Command (JITC), as the responsible organization for interoperability test certification.

2. The Cisco Unity Connection with Software Release 8.6(1) is hereinafter referred to as the System Under Test (SUT). The SUT meets all of its critical interoperability requirements and is certified as interoperable for joint use within the Defense Information Systems Network (DISN) as a Customer Premise Equipment (CPE) voicemail system with the Cisco Unified Communication Manager (CUCM) Release 8.0(2) and 8.6(1). The SUT met the critical interoperability requirements set forth in References (c) using test procedures derived from Reference (d). Additionally, JITC analysis determined other versions (7.1(2) or later) of the CUCM switching systems listed on the Unified Capabilities (UC) Approved Product List (APL) function identically to the CUCM 8.0(2) and 8.6(1) and are also certified for use within the DISN. Although the SUT offers Internet Protocol version 6 (IPv6) it was not tested during the original test, therefore, the SUT was certified for Internet Protocol version 4 (IPv4) only. IPv6 is a conditional requirement for a CPE device in accordance with Reference (c). No other configurations, features, or functions, except those cited within this report, are certified by the JITC. This certification expires upon changes that affect interoperability, but no later the date of the original UC APL memorandum expiration (6 June 2015).

3. The extension of this certification is based upon Desktop Review (DTR) 2. The original certification, documented in Reference (e), is based on interoperability testing, review of the vendor's Letters of Compliance (LoC), DISA adjudication of open test discrepancy reports, and DISA CA Recommendation. Interoperability testing was conducted at JITC's Global Information Grid Network Test Facility, Fort Huachuca, Arizona from 5 through 15 July 2011. Review of the vendor's LoC was completed on 13 February 2012. The DISA CA provided a positive Recommendation on 30 May 2012 based on the security testing completed by DISA-led

Information Assurance (IA) test teams and published in a separate report, Reference (f). This DTR was requested to update from ES 7 to ES 9. This release also includes functionality enhancements and software updates that implement Information Assurance Vulnerability Assessments (IAVAs) for this SUT. The IAVAs were identified, fixed, and validated by the vendor. JITC determined through analysis that this DTR would not impact the interoperability certified features and functions of the SUT. Therefore, JITC approves this DTR without testing. Additionally, the DISA CA has approved this DTR to include ES9 without further testing. Therefore, the original IA approval applies to this DTR.

4. The Capability Requirements (CR) and Functional Requirements (FR) used to evaluate the interoperability of the SUT and the interoperability statuses are indicated in Table 1. This interoperability test status is based on the SUT's ability to meet CPE voicemail system requirements specified in Section 5 of Reference (c) verified through JITC testing and/or vendor submission of LoC.

**Table 1. SUT CR and FRs and Interoperability Status**

Interface	Critical	Certified	CRs/FRs	Met	UCR Paragraph																												
IP 1000BaseT (IEEE 802.3-2005)	Yes	Yes	Differentiated Service Code Point (R)	Met	5.3.3.3.2																												
			IEEE 802.3 (C)	Met	5.2.1.2																												
			IPv6 (C)	Met (See note 1.)	5.3.5																												
			FCC Part15/Part 68 (R)	Met	5.2.1.2																												
			ROUTINE precedence only IAW UCR, paragraph 5.3.2.31.3 (R)	Met	5.2.1.2																												
Security	Yes	Yes	Security (R)	Met (See note 2.)	5.4																												
<p><b>NOTES:</b></p> <p>1. SUT IPv6 capability was not included in the original certification. IPv6 capability was successfully demonstrated during the Verification and Validation testing conducted from 17 through 21 December in support of Desktop Review 1. The vendor also provided an LoC for the IPv6 requirements that were not tested.</p> <p>2. Security is tested by DISA-led Information Assurance test teams and published in a separate report, Reference (e).</p> <p><b>LEGEND:</b></p> <table> <tr> <td>1000BaseT</td> <td>1000 Mbps (Baseband Operation, Twisted Pair) Ethernet</td> <td>IAW</td> <td>In accordance with</td> </tr> <tr> <td>802.3-2005</td> <td>Local Area Network/metropolitan Area Network Carrier Sense Multiple Access/Collision Detection Access Method</td> <td>IEEE</td> <td>Institute of Electrical and Electronics Engineers</td> </tr> <tr> <td>C</td> <td>Conditional</td> <td>IP</td> <td>Internet Protocol</td> </tr> <tr> <td>DISA</td> <td>Defense Information Systems Agency</td> <td>IPv6</td> <td>Internet Protocol version 6</td> </tr> <tr> <td>FCC</td> <td>Federal Communications Commission</td> <td>R</td> <td>Required</td> </tr> <tr> <td></td> <td></td> <td>SUT</td> <td>System Under Test</td> </tr> <tr> <td></td> <td></td> <td>UCR</td> <td>Unified Capabilities Requirements</td> </tr> </table>						1000BaseT	1000 Mbps (Baseband Operation, Twisted Pair) Ethernet	IAW	In accordance with	802.3-2005	Local Area Network/metropolitan Area Network Carrier Sense Multiple Access/Collision Detection Access Method	IEEE	Institute of Electrical and Electronics Engineers	C	Conditional	IP	Internet Protocol	DISA	Defense Information Systems Agency	IPv6	Internet Protocol version 6	FCC	Federal Communications Commission	R	Required			SUT	System Under Test			UCR	Unified Capabilities Requirements
1000BaseT	1000 Mbps (Baseband Operation, Twisted Pair) Ethernet	IAW	In accordance with																														
802.3-2005	Local Area Network/metropolitan Area Network Carrier Sense Multiple Access/Collision Detection Access Method	IEEE	Institute of Electrical and Electronics Engineers																														
C	Conditional	IP	Internet Protocol																														
DISA	Defense Information Systems Agency	IPv6	Internet Protocol version 6																														
FCC	Federal Communications Commission	R	Required																														
		SUT	System Under Test																														
		UCR	Unified Capabilities Requirements																														

5. No detailed test report was developed in accordance with the Program Manager's request. JITC distributes interoperability information via the JITC Electronic Report Distribution (ERD) system, which uses Unclassified-But-Sensitive Internet Protocol Router Network (NIPRNet) e-mail. More comprehensive interoperability status information is available via the JITC System Tracking Program (STP). STP is accessible by .mil/gov users on the NIPRNet at <https://stp.fhu.disa.mil>. Test reports, lessons learned, and related testing documents and references are on the JITC Joint Interoperability Tool (JIT) at <http://jit.fhu.disa.mil> (NIPRNet). Due to the sensitivity of the information, the Information Assurance Accreditation Package (IAAP) that contains the approved configuration and deployment guide must be requested

JITC Memo, JTE, Extension of the Special Interoperability Test Certification of the Cisco Unity Connection with Software Release 8.6(1) with update of Engineering Special (ES) 7 to ES 9

directly through government civilian or uniformed military personnel from the Unified Capabilities Certification Office (UCCO), e-mail: [disa.meade.ns.list.unified-capabilities-certification-office@mail.mil](mailto:disa.meade.ns.list.unified-capabilities-certification-office@mail.mil). All associated data is available on the DISA UCCO website located at website located at <http://www.disa.mil/Services/Network-Services/UCCO>.

6. The JITC point of contact is CPT Jonathan Kim, DSN 879-5182, commercial (520) 538-5182, FAX DSN 879-4347, or e-mail to [jonathan.s.kim.mil@mail.mil](mailto:jonathan.s.kim.mil@mail.mil). JITC's mailing address is P.O. Box 12798, Fort Huachuca, AZ 85670-2798. The UCCO tracking number for the SUT is 1109701.

FOR THE COMMANDER:



for RICHARD A. MEADOR  
Chief  
Battlespace Communications Portfolio

Enclosure a/s

Distribution (electronic mail):

DoD CIO  
Joint Staff J-6, JCS  
USD(AT&L)  
ISG Secretariat, DISA, JTA  
U.S. Strategic Command, J665  
US Navy, OPNAV N2/N6FP12  
US Army, DA-OSA, CIO/G-6 ASA(ALT), SAIS-IOQ  
US Air Force, A3CNN/A6CNN  
US Marine Corps, MARCORSYSCOM, SIAT, A&CE Division  
US Coast Guard, CG-64  
DISA/TEMC  
DIA, Office of the Acquisition Executive  
NSG Interoperability Assessment Team  
DOT&E, Netcentric Systems and Naval Warfare  
Medical Health Systems, JMIS IV&V  
HQUSAISEC, AMSEL-IE-IS  
UCCO

## **ADDITIONAL REFERENCES**

- (c) Office of the Assistant Secretary of Defense, "Department of Defense Unified Capabilities Requirements 2008, Change 2," December 2010
- (d) Joint Interoperability Test Command, "Defense Switched Network Generic Switch Test Plan (GSTP), Change 2," 2 October 2006
- (e) Joint Interoperability Test Command, Memo, JTE, "Special Interoperability Test Certification of the Cisco Unity Connection with Software Release 8.6(1)," 1 June 2012
- (f) Joint Interoperability Test Command, "Information Assurance (IA) Assessment of Cisco Unity Connection Release (Rel.) 8.6 (Tracking Number 1109701)," Draft